

Package: WpProj (via r-universe)

November 2, 2024

Type Package

Title Linear p-Wasserstein Projections

Version 0.2.2

Date 2024-01-31

Description Performs Wasserstein projections from the predictive distributions of any model into the space of predictive distributions of linear models. We utilize L1 penalties to also reduce the complexity of the model space. This package employs the methods as described in Dunipace, Eric and Lorenzo Trippa (2020) <[arXiv:2012.09999](https://arxiv.org/abs/2012.09999)>.

License GPL (==3.0)

Depends R (>= 4.0)

Imports ggplot2, ggsci, ggridges, glmnet, oem, Rcpp, rlang, ROI, ROI.plugin.ecos, ROI.plugin.lpsolve, Matrix, rqPen, quantreg, doParallel, foreach, doRNG, dplyr, stats, magrittr, methods, slam, lifecycle

LinkingTo BH, Rcpp (>= 1.0.0), RcppEigen (>= 0.3.3.4.0), RcppProgress, RcppCGAL, RSpectra

Suggests testthat (>= 2.1.0), transport, Rmosek, spelling, ECOSolveR

RoxygenNote 7.3.2

Roxygen list(markdown = TRUE)

URL <https://github.com/ericdunipace/WpProj>

BugReports <https://github.com/ericdunipace/WpProj/issues>

Encoding UTF-8

SystemRequirements C++17

Language en-US

Repository <https://ericdunipace.r-universe.dev>

RemoteUrl <https://github.com/ericdunipace/wpproj>

RemoteRef HEAD

RemoteSha ac80a7c03e02c6c020854a08580b03f1174b01c3

Contents

binary_program_method_options	2
combine.WPR2	4
distCompare	5
HC	6
L0_method_options	8
L1_method_options	9
L1_penalty_options	10
plot,WPR2-method	10
ridgePlot	12
simulated_annealing_method_options	13
stepwise_method_options	15
transport_options	16
wasserstein	17
WpProj	18
WPR2	21
WPVI	23
Index	25

binary_program_method_options

Options For Use With the Binary Program Method

Description

Options For Use With the Binary Program Method

Usage

```
binary_program_method_options(
  maxit = 500L,
  infimum.maxit = 100L,
  transport.method = transport_options(),
  epsilon = 0.05,
  OTmaxit = 100L,
  model.size = NULL,
  nvars = NULL,
  tol = 1e-07,
  display.progress = FALSE,
  parallel = NULL,
  solver.options = NULL
)
```

Arguments

<code>maxit</code>	The maximum iterations for the optimizer. Default is 500.
<code>infimum.maxit</code>	Maximum iterations to alternate binary program and Wasserstein distance calculations
<code>transport.method</code>	Method for Wasserstein distance calculation. Should be one the outputs of transport_options()
<code>epsilon</code>	A value > 0 for the penalty parameter of if using the Sinkhorn method
<code>OTmaxit</code>	The number of iterations to run the Wasserstein distance solvers.
<code>model.size</code>	What is the maximum number of coefficients to have in the final model. Default is NULL. If NULL, will find models from the minimum size, 0, to the number of columns in X .
<code>nvars</code>	The number of variables to explore. Should be an integer vector of model sizes. Default is NULL which will explore all models from 1 to <code>model.size</code> .
<code>tol</code>	The tolerance for convergence
<code>display.progress</code>	Logical. Should intermediate progress be displayed? TRUE or FALSE. Default is FALSE.
<code>parallel</code>	A cluster backend to be used by foreach::foreach() . See foreach::foreach() for details about how to set them up. The <code>WpProj</code> functions will register the cluster with the doParallel::registerDoParallel() function internally.
<code>solver.options</code>	Options to be passed on to the solver. See details

Details

This function will setup the default arguments used by the binary program method. Of note, for the argument `solver.options`, If using the "lasso" solver, you should provide arguments such as "penalty", "nlambda", "lambda.min.ratio", "gamma", and "lambda" in a list. A simple way to do this is to feed the output of the [L1_method_options\(\)](#) function to the argument `solver.options`. This will tell the approximate solver, which uses a lasso method that then will project the parameters back to the $\{0, 1\}$ space. For the other solvers, you can see the options in the ECOS solver package, [ECOSolveR::ecos.control\(\)](#), and the options for the mosek solver, [Rmosek::mosek\(\)](#).

Value

A list with names corresponding to each argument above.

See Also

[WpProj\(\)](#)

Examples

```
binary_program_method_options()
# is using the lasso solver for the binary program method to give an approximate solution
binary_program_method_options(solver.options = L1_method_options(nlambda = 50L))
```

 combine.WPR2

A Function to Combine $W_p R^2$ Objects

Description

[Experimental] Will combine $W_p R^2$ objects into a single object.

Usage

```
combine.WPR2(...)
```

Arguments

... List of $W_p R^2$ objects

Value

A vector of $W_p R^2$ objects

See Also

[WPR2\(\)](#)

Examples

```
if (rlang::is_installed("stats")) {
  n <- 128
  p <- 10
  s <- 99
  x <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
  beta <- (1:10)/10
  y <- x %*% beta + stats::rnorm(n)
  post_beta <- matrix(beta, nrow=p, ncol=s) + stats::rnorm(p*s, 0, 0.1)
  post_mu <- x %*% post_beta

  fit1 <- WpProj(X=x, eta=post_mu, theta = post_beta,
                power = 2.0, method = "binary program")
  fit2 <- WpProj(X=x, eta=post_mu, power = 2.0,
                options = list(penalty = "lasso")
  )

  out1 <- WPR2(predictions = post_mu, projected_model = fit1)
  out2 <- WPR2(predictions = post_mu, projected_model = fit2)

  combine <- combine.WPR2(out1, out2)
}
```

distCompare	<i>Compares Optimal Transport Distances Between WpProj and Original Models</i>
-------------	--

Description

[Experimental] Will compare the Wasserstein distance between the original model and the WpProj model.

Usage

```
distCompare(
  models,
  target = list(parameters = NULL, predictions = NULL),
  power = 2,
  method = "exact",
  quantity = c("parameters", "predictions"),
  parallel = NULL,
  transform = function(x) {
    return(x)
  },
  ...
)
```

Arguments

models	A list of models from WpProj methods
target	The target to compare the methods to. Should be a list with slots "parameters" to compare the parameters and "predictions" to compare predictions
power	The power parameter of the Wasserstein distance.
method	Which approximation to the Wasserstein distance to use. Should be one of the outputs of transport_options() .
quantity	Should the function target the "parameters" or the "predictions". Can choose both.
parallel	Parallel backend to use for the foreach package. See <code>foreach::registerDoParallel()</code> for more details.
transform	Transformation function for the predictions.
...	other options passed to the wasserstein() distance function

Details

For the data frames, `dist` is the Wasserstein distance, `nactive` is the number of active variables in the model, `groups` is the name distinguishing the model, and `method` is the method used to calculate the distance (i.e., exact, sinkhorn, etc.). If the list in `models` is named, these will be used as the group names otherwise the group names will be created based on the call from the WpProj method.

Value

an object of class `distcompare` with slots `parameters`, `predictions`, and `p`. The slots `parameters` and `predictions` are data frames. See the details for more info. The slot `p` is the power parameter of the Wasserstein distance used in the distance calculation.

Examples

```
if(rlang::is_installed("stats")) {
  n <- 32
  p <- 10
  s <- 21
  x <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
  beta <- (1:10)/10
  y <- x %*% beta + stats::rnorm(n)
  post_beta <- matrix(beta, nrow=p, ncol=s) + stats::rnorm(p*s, 0, 0.1)
  post_mu <- x %*% post_beta

  fit1 <- WpProj(X=x, eta=post_mu, power = 2.0,
                options = list(penalty = "lasso")
              )
  fit2 <- WpProj(X=x, eta=post_mu, theta = post_beta, power = 2.0,
                method = "binary program", solver = "lasso",
                options = list(solver.options = list(penalty = "mcp")))
  )
  dc <- distCompare(models = list("L1" = fit1, "BP" = fit2),
                  target = list(parameters = post_beta, predictions = post_mu))
  plot(dc)
}
```

 HC

Run the Hahn-Carvalho Method

Description

[Experimental] Runs the Hahn-Carvalho method but adapted to return full distributions.

Usage

```
HC(
  X,
  Y = NULL,
  theta,
  family = "gaussian",
  penalty = c("elastic.net", "selection.lasso", "lasso", "ols", "mcp", "scad", "mcp.net",
             "scad.net", "grp.lasso", "grp.lasso.net", "grp.mcp", "grp.scad", "grp.mcp.net",
             "grp.scad.net", "sparse.grp.lasso"),
  method = c("selection.variable", "projection"),
  lambda = numeric(0),
  nlambda = 100L,
```

```

lambda.min.ratio = NULL,
alpha = 1,
gamma = 1,
tau = 0.5,
groups = numeric(0),
penalty.factor = NULL,
group.weights = NULL,
maxit = 500L,
tol = 1e-07,
irls.maxit = 100L,
irls.tol = 0.001
)

```

Arguments

X	Covariates
Y	Predictions
theta	Parameters
family	Family for method. See oem .
penalty	Penalty function. See oem .
method	Should we run a selection variable methodology or projection?
lambda	lambda for lasso. See oem for this and all options below
nlambda	Number of lambda values.
lambda.min.ratio	Minimum lambda ratio for self selected lambda
alpha	elastic net mixing.
gamma	tuning parameters for SCAD and MCP
tau	mixing parameter for sparse group lasso
groups	A vector of grouping values
penalty.factor	Penalty factor for OEM.
group.weights	Weights for grouped lasso
maxit	Max iteration for OEM
tol	Tolerance for OEM
irls.maxit	IRLS max iterations for OEM
irls.tol	IRLS tolerance for OEM

Value

a WpProj object with selected covariates and their values

References

Hahn, P. Richard and Carlos M. Carvalho. (2014) "Decoupling Shrinkage and Selection in Bayesian Linear Models: A Posterior Summary Perspective." <https://arxiv.org/pdf/1408.0464.pdf>

Examples

```

n <- 32
p <- 10
s <- 99
x <- matrix( 1, nrow = n, ncol = p )
beta <- (1:10)/10
y <- x %*% beta
post_beta <- matrix(beta, nrow=p, ncol=s)
post_mu <- x %*% post_beta

fit <- HC(X=x, Y=post_mu, theta = post_beta,
         penalty = "lasso",
         method = "projection"
       )

```

L0_method_options *Options For Use With the L0 Method*

Description

Options For Use With the L0 Method

Usage

```

L0_method_options(
  method = c("binary program", "projection"),
  transport.method = transport_options(),
  epsilon = 0.05,
  OTmaxit = 100,
  parallel = NULL,
  ...
)

```

Arguments

method	Should covariates be selected as an approximate "binary program" or should a projection method be used. Default is the approximate binary program.
transport.method	Method for Wasserstein distance calculation. Should be one the outputs of transport_options() .
epsilon	A value > 0 for the penalty parameter if using the Sinkhorn method for optimal transport
OTmaxit	The number of iterations to run the Wasserstein distance solvers.
parallel	A cluster backend to be used by foreach::foreach() if parallelization is desired.
...	Not used

Value

a named list corresponding to the above arguments

Examples

```
L0_method_options()
```

L1_method_options	<i>Options For Use With the L1 Method</i>
-------------------	---

Description

Options For Use With the L1 Method

Usage

```
L1_method_options(
  penalty = L1_penalty_options(),
  lambda = numeric(0),
  nlambda = 500L,
  lambda.min.ratio = 1e-04,
  gamma = 1,
  maxit = 500L,
  model.size = NULL,
  tol = 1e-07,
  display.progress = FALSE,
  solver.options = NULL
)
```

Arguments

penalty	The penalty to use. See L1_penalty_options() for more details.
lambda	The penalty parameter to use if method is "L1".
nlambda	The number of lambdas to explore for the "L1" method if lambda is not provided
lambda.min.ratio	The minimum ratio of max to min lambda for "L1" method. Default 1e-4.
gamma	Tuning parameter for SCAD and MCP penalties if method = "L1".
maxit	The maximum iterations for optimization. Default is 500.
model.size	What is the maximum number of coefficients to have in the final model. Default is NULL. If NULL, will find models from the minimum size, 0, to the number of columns in X.
tol	The tolerance for convergence
display.progress	Logical. Should intermediate progress be displayed? TRUE or FALSE. Default is FALSE.
solver.options	Options to be passed on to the solver. Only used for "ecos" and "mosek" solvers.

Value

A list with names corresponding to each argument above.

See Also

[WpProj\(\)](#)

Examples

```
L1_method_options()
```

L1_penalty_options	<i>Recognized L1 Penalties</i>
--------------------	--------------------------------

Description

Recognized L1 Penalties

Usage

```
L1_penalty_options()
```

Value

A character vector with the possible penalties for L1 methods

Examples

```
L1_penalty_options()
# [1] "lasso"           "ols"             "mcp"             "elastic.net"     "scad"
# [6] "mcp.net"        "scad.net"       "grp.lasso"       "grp.lasso.net"  "grp.mcp"
# [11] "grp.scad"       "grp.mcp.net"    "grp.scad.net"   "sparse.grp.lasso"
```

plot, WPR2-method	<i>Plot Function for $W_p R^2$ Objects</i>
-------------------	---

Description

Plot Function for $W_p R^2$ Objects

Usage

```
## S4 method for signature 'WPR2'
plot(
  x,
  xlim = NULL,
  ylim = NULL,
  linesize = 0.5,
  pointsize = 1.5,
  facet.group = NULL,
  ...
)
```

Arguments

x	A $W_p R^2$ object
xlim	x-axis limits
ylim	y-axis limits
linesize	Linesize for geom_line
pointsize	Point size for geom_point
facet.group	Group to do facet_grid by
...	Currently not used

Value

a `ggplot2::ggplot()` object

Examples

```
n <- 128
p <- 10
s <- 99
x <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
beta <- (1:10)/10
y <- x %*% beta + stats::rnorm(n)
post_beta <- matrix(beta, nrow=p, ncol=s) + stats::rnorm(p*s, 0, 0.1)
post_mu <- x %*% post_beta

fit <- WpProj(X=x, eta=post_mu, power = 2.0,
             options = list(penalty = "lasso")
)
obj <- WPR2(predictions = post_mu, projected_model = fit)
p <- plot(obj)
```

`ridgePlot`*Ridge Plots for a Range of Coefficients*

Description

[Experimental] This function will plot the distribution of predictions for a range of active coefficients

Usage

```
ridgePlot(  
  fit,  
  index = 1,  
  minCoef = 1,  
  maxCoef = 10,  
  scale = 1,  
  alpha = 0.5,  
  full = NULL,  
  transform = function(x) {  
    x  
  },  
  xlab = "Predictions",  
  bandwidth = NULL  
)
```

Arguments

<code>fit</code>	A <code>WpProj</code> object or list of <code>WpProj</code> objects
<code>index</code>	The observation number to select. Can be a vector
<code>minCoef</code>	The minimum number of coefficients to use
<code>maxCoef</code>	The maximum number of coefficients to use
<code>scale</code>	How the densities should be scale
<code>alpha</code>	Alpha term from <code>ggplot2</code> object
<code>full</code>	"True" prediction to compare to
<code>transform</code>	transform for predictions
<code>xlab</code>	x-axis label
<code>bandwidth</code>	Bandwidth for kernel

Value

a `ggplot2::ggplot()` plot

Examples

```

if(rlang::is_installed("stats")) {
  n <- 128
  p <- 10
  s <- 99
  x <- matrix(stats::rnorm(n*p), nrow = n, ncol = p )
  beta <- (1:10)/10
  y <- x %*% beta + stats::rnorm(n)
  post_beta <- matrix(beta, nrow=p, ncol=s) + matrix(stats::rnorm(p*s, 0, 0.1), p, s)
  post_mu <- x %*% post_beta
  fit <- WpProj(X=x, eta=post_mu,
               power = 2
  )
  ridgePlot(fit)
}

```

simulated_annealing_method_options

Options For Use With the Simulated Annealing Selection Method

Description

Options For Use With the Simulated Annealing Selection Method

Usage

```

simulated_annealing_method_options(
  force = NULL,
  method = c("binary program", "projection"),
  transport.method = transport_options(),
  OTmaxit = 100L,
  epsilon = 0.05,
  maxit = 1L,
  temps = 1000L,
  max.time = 3600,
  proposal.method = c("covariance", "uniform"),
  energy.distribution = c("boltzman", "bose-einstein"),
  cooling.schedule = c("Geman-Geman", "exponential"),
  model.size = NULL,
  display.progress = FALSE,
  parallel = NULL,
  calc.theta = TRUE,
  ...
)

```

Arguments

<code>force</code>	Any covariates to force into the model? Should be by column number or NULL if no variables to force into the model.
<code>method</code>	Should covariates be selected as an approximate "binary program" or should a projection method be used. Default is the approximate binary program.
<code>transport.method</code>	Method for Wasserstein distance calculation. Should be one the outputs of transport_options()
<code>OTmaxit</code>	The number of iterations to run the Wasserstein distance solvers.
<code>epsilon</code>	A value > 0 for the penalty parameter of if using the Sinkhorn method for optimal transport
<code>maxit</code>	Maximum number of iterations per temperature
<code>temps</code>	Number of temperatures to try
<code>max.time</code>	Maximum time in seconds to run the algorithm
<code>proposal.method</code>	The method to propose the next covariate to add. One of "covariance" or "random". "covariance" will randomly select from covariates with probability proportional to the absolute value of the covariance. "uniform" will select covariates uniformly at random.
<code>energy.distribution</code>	The energy distribution to use for evaluating proposals. One of "boltzman" or "bose-einstein". Default is "boltzman".
<code>cooling.schedule</code>	The schedule to use for cooling temperatures. One of "Geman-Geman" or "exponential". Default is "Geman-Geman".
<code>model.size</code>	How many coefficients should the maximum final model have?
<code>display.progress</code>	Logical. Should intermediate progress be displayed? TRUE or FALSE. Default is FALSE.
<code>parallel</code>	A cluster backend to be used by foreach::foreach() . See foreach::foreach() for details about how to set them up. The <code>WpProj</code> functions will register the cluster with the doParallel::registerDoParallel() function internally.
<code>calc.theta</code>	Return the linear coefficients? Default is TRUE.
<code>...</code>	Not used.

Value

A named list with the above arguments

Examples

```
simulated_annealing_method_options()
```

stepwise_method_options

Options For Use With the Stepwise Selection Method

Description

Options For Use With the Stepwise Selection Method

Usage

```

stepwise_method_options(
  force = NULL,
  direction = c("backward", "forward"),
  method = c("binary program", "projection"),
  transport.method = transport_options(),
  OTmaxit = 100,
  epsilon = 0.05,
  model.size = NULL,
  display.progress = FALSE,
  parallel = NULL,
  calc.theta = TRUE,
  ...
)

```

Arguments

force	Any covariates to force into the model? Should be by column number or NULL if no variables to force into the model.
direction	"forward" or "backward" selection? Default is "backward"
method	Should covariates be selected as an approximate "binary program" or should a projection method be used. Default is the approximate binary program.
transport.method	Method for Wasserstein distance calculation. Should be one the outputs of transport_options()
OTmaxit	The number of iterations to run the Wasserstein distance solvers.
epsilon	A value > 0 for the penalty parameter of if using the Sinkhorn method for optimal transport
model.size	How many coefficients should the maximum final model have?
display.progress	Logical. Should intermediate progress be displayed? TRUE or FALSE. Default is FALSE.
parallel	A cluster backend to be used by foreach::foreach() . See foreach::foreach() for details about how to set them up. The WpProj functions will register the cluster with the doParallel::registerDoParallel() function internally.
calc.theta	Return the linear coefficients? Default is TRUE.
...	Not used

Value

A named list with the above arguments

Examples

```
stepwise_method_options()
```

transport_options	<i>Available Wasserstein Distance Methods</i>
-------------------	---

Description

Available Wasserstein Distance Methods

Usage

```
transport_options()
```

Details

This function features several methods of calculating approximate optimal transport methods in addition to the exact method. The first is the "sinkhorn" method of Cuturi (2013). The second is the "greenhorn" method of Alschuler et al. (2017). The third is the Hilbert sorting method of Bernton et al (2017). Then there are two novel approximation methods based on the univariate ranks of each covariate to obtain the average rank "rank", and a method based on the univariate distances for each covariate "univariate.approximation.pwr"

Value

A character vector of available methods

Examples

```
transport_options()
```

wasserstein *Calculate Wasserstein distances*

Description

[Experimental] This function will calculate exact or approximate Wasserstein distances between two groups of observations. Please note that this function will likely be deprecated in favor of using the native function from the approxOT package.

Usage

```
wasserstein(
  X,
  Y,
  p = 2,
  ground_p = 2,
  observation.orientation = c("rowwise", "colwise"),
  method = c("exact", "sinkhorn", "greenkhorn", "hilbert", "rank",
    "univariate.approximation", "univariate.approximation.pwr", "univariate"),
  ...
)
```

Arguments

X	Matrix for first group
Y	Matrix for second group
p	Power of the Wasserstein distance
ground_p	Power of the distance metric. Usually same as p
observation.orientation	Are observations unique by rows or columns? One of "colwise" or "rowwise"
method	One of the outputs of transport_options()
...	additional options for sinkhorn based methods. epsilon and niter determining the hyperparameters for the negative entropy penalty

Value

A numeric value

Examples

```
if(rlang::is_installed("stats")) {
  n <- 128
  p <- 10
  x <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
  y <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
}
```

```

dist <- wasserstein(x,y, p = 2, ground_p = 1, observation.orientation = "rowwise",
                    method = "hilbert") #fast
print(dist)
}

```

WpProj

p-Wasserstein Linear Projections

Description

[Experimental] This function will calculate linear projections from a set of predictions into the space of the covariates in terms of the p-Wasserstein distance.

Usage

```

WpProj(
  X,
  eta = NULL,
  theta = NULL,
  power = 2,
  method = c("L1", "binary program", "stepwise", "simulated annealing", "L0"),
  solver = c("lasso", "ecos", "lpsolve", "mosek"),
  options = NULL
)

```

Arguments

X	An $n \times p$ matrix of covariates
eta	An $n \times s$ matrix of predictions from a model
theta	An optional An $p \times s$ parameter matrix for selection methods. Only makes sense if the original model is a linear model.
power	The power of the Wasserstein distance to use. Must be ≥ 1.0 . Will default to 2.0.
method	The algorithm to calculate the Wasserstein projections. One of "L1", "binary program", "IP", "stepwise", "simulated annealing", or "L0". Will default to "L1" if not provided. See details for more information.
solver	Which solver to use? One of "lasso", "ecos", "lpsolve", or "mosek". See details for more information
options	Options passed to the particular method and desired solver. See details for more information.

Details

Methods:

The `WpProj` function is a wrapper for the various Wasserstein projection methods. It is designed to be a one-stop shop for all Wasserstein projection methods. It will automatically choose the correct method and solver based on the arguments provided. It will also return a standardized output for all methods. Each method has its own set of options that can be passed to it. See the documentation for each method for more information.

For the L1 methods, see `L1_method_options()` for more information. For the binary program methods, see `binary_program_method_options()` for more information. For the stepwise methods, see `stepwise_method_options()` for more information. For the simulated annealing methods, see `simulated_annealing_method_options()` for more information.

In most cases, we recommend using the L1 methods or binary program methods. The L1 methods are the fastest and applicable to Wasserstein powers of any value greater than 1 and function as direct linear projections into the space of the covariates. The binary program methods instead preserve the coefficients of the original model if this is of interest, such as when the original model was already a linear model. The binary program will instead function as a way of turning on and off certain coefficients in a way that minimizes the Wasserstein distance between reduced and original models. Of note, we also have available an approximate binary program method using a lasso solver. This method is faster than the exact binary program method but is not guaranteed to find the optimal solution. It is recommended to use the exact binary program method if possible. See `binary_program_method_options()` for more information on how to set up the approximate method as some arguments for the lasso solver should be specified. For more information on how this works, please also see the referenced paper.

The stepwise, simulated annealing, and L0 methods also select covariates like the binary program methods but they can be slower. They are presented merely for comparison purposes given they were used in the original paper.

Wasserstein distances and powers:

The Wasserstein distance is a measure of distance between two probability distributions. It is defined as:

$$W_p(\mu, \nu) = \left(\inf_{\pi \in \Pi(\mu, \nu)} \int_{\mathbb{R}^d \times \mathbb{R}^d} \|x - y\|^p d\pi(x, y) \right)^{1/p},$$

where $\Pi(\mu, \nu)$ is the set of all joint distributions with marginals μ and ν . The Wasserstein distance is a generalization of the Euclidean distance, which is the case when $p = 2$. In our function we have argument power that corresponds to the p of the equation above. The default power is 2.0 but any value greater than or equal to 1.0 is allowed. For more information, see the references.

The particular implementation of the Wasserstein distance is as follows. If μ is the original prediction from the original model, then we seek to find a new prediction ν that minimizes the Wasserstein distance between the two: $\operatorname{argmin}_{\nu} W_p(\mu, \nu)$.

Value

object of class `WpProj`, which is a list with the following slots:

- `call`: The call to the function
- `theta`: A list of the final parameter matrices for each returned model
- `fitted.values`: A list of the fitted values for each returned model

- power: The power of the Wasserstein distance used
- method: The method used to calculate the Wasserstein projections
- solver: The solver used to calculate the Wasserstein projections
- niter: The number of iterations used to calculate the Wasserstein projections. Not all methods return a number of iterations so this may be NULL
- nzero: The number of non zero coefficients in the final models

References

Dunipace, Eric and Lorenzo Trippa (2020) <https://arxiv.org/abs/2012.09999>.

Examples

```

if(rlang::is_installed("stats")) {
# note we don't generate believable data with real posteriors
# these examples are just to show how to use the function
n <- 32
p <- 10
s <- 21

# covariates and coefficients
x <- matrix( stats::rnorm( p * n ), nrow = n, ncol = p )
beta <- (1:10)/10

#outcome
y <- x %*% beta + stats::rnorm(n)

# fake posterior
post_beta <- matrix(beta, nrow=p, ncol=s) + stats::rnorm(p*s, 0, 0.1)
post_mu <- x %*% post_beta #posterior predictive distributions

# fit models
## L1 model
fit.p2 <- WpProj(X=x, eta=post_mu, power = 2.0,
                method = "L1", #default
                solver = "lasso" #default
)

## approximate binary program
fit.p2.bp <- WpProj(X=x, eta=post_mu, theta = post_beta, power = 2.0,
                  method = "binary program",
                  solver = "lasso" #default because approximate algorithm is faster
)

## compare performance by measuring distance from full model
dc <- distCompare(models = list("L1" = fit.p2, "BP" = fit.p2.bp))
plot(dc)

## compare performance by measuring the relative distance between a null model
## and the predictions of interest as a pseudo R^2
r2.expect <- WPR2(predictions = post_mu, projected_model = dc) # can have negative values

```

```

r2.null <- WPR2(projected_model = dc) # should be between 0 and 1
plot(r2.null)

## we can also examine how predictions change in the models for individual observations
ridgePlot(fit.p2, index = 21, minCoef = 0, maxCoef = 10)
}

```

WPR2

W_pR² Function to Evaluate Performance

Description

[Experimental] This function will calculate p-Wasserstein distances between the predictions of interest and the projected model.

Usage

```

WPR2(
  predictions = NULL,
  projected_model,
  p = 2,
  method = "exact",
  base = NULL,
  ...
)

## S4 method for signature 'ANY,matrix'
WPR2(
  predictions = NULL,
  projected_model,
  p = 2,
  method = "exact",
  base = NULL,
  ...
)

## S4 method for signature 'ANY,distcompare'
WPR2(
  predictions = NULL,
  projected_model,
  p = 2,
  method = "exact",
  base = NULL,
  ...
)

## S4 method for signature 'ANY,list'

```

```

WPR2(
  predictions = NULL,
  projected_model,
  p = 2,
  method = "exact",
  base = NULL,
  ...
)

## S4 method for signature 'ANY,WpProj'
WPR2(
  predictions = NULL,
  projected_model,
  p = 2,
  method = "exact",
  base = NULL,
  ...
)

```

Arguments

predictions	Predictions of interest, likely from the original model
projected_model	A matrix of competing predictions, possibly from a WpProj fit, a WpProj fit itself, or a list of WpProj objects
p	Power of the Wasserstein distance to use in distance calculations
method	Method for calculating Wasserstein distance
base	The baseline result to compare to. If not provided, defaults to the model with no covariates and only an intercept.
...	Arguments passed to Wasserstein distance calculation. See wasserstein

Value

$W_p R^2$ values

Examples

```

if (rlang::is_installed("stats")) {
# this example is not a true posterior estimation, but is used for illustration
n <- 32
p <- 10
s <- 21
x <- matrix( stats::rnorm(n*p), nrow = n, ncol = p )
beta <- (1:10)/10
y <- x %*% beta + stats::rnorm(n)
post_beta <- matrix(beta, nrow=p, ncol=s) +
  matrix(rnorm(p*s), p, s) # not a true posterior
post_mu <- x %*% post_beta
}

```

```

fit <- WpProj(X=x, eta=post_mu, power = 2.0)

out <- WPR2(predictions = post_mu, projected_model = fit,
base = rowMeans(post_mu) # same as intercept only projection
)
}

```

WPVI

p-Wasserstein Variable Importance

Description

[Experimental] This function will measure how much removing each covariate harms prediction accuracy.

Usage

```

WPVI(
  X,
  eta,
  theta,
  pred.fun = NULL,
  p = 2,
  ground_p = 2,
  transport.method = transport_options(),
  epsilon = 0.05,
  OTmaxit = 100,
  display.progress = FALSE,
  parallel = NULL
)

```

Arguments

X	Covariates
eta	Predictions from the estimated model
theta	Parameters from the estimated model.
pred.fun	A prediction function. must take variables x, theta as arguments: pred.fun(x, theta)
p	Power of Wasserstein distance
ground_p	Power of distance metric
transport.method	Transport methods. See transport_options() for more details.
epsilon	Hyperparameter for Sinkhorn iterations
OTmaxit	Maximum number of iterations for the Wasserstein method
display.progress	Display intermediate progress
parallel	a foreach backend if already created

Value

Returns an integer vector ranking covariate importance from most to least important.

Examples

```
n <- 128
p <- 10
s <- 99
x <- matrix(1, nrow = n, ncol = p )
beta <- (1:10)/10
y <- x %*% beta
post_beta <- matrix(beta, nrow=p, ncol=s)
post_mu <- x %*% post_beta

fit <- WpProj(X=x, eta=post_mu, power = 2.0)
WPVI(X = x, eta = post_mu, theta = post_beta, transport.method = "hilbert")
```


Index

binary_program_method_options, [2](#)
binary_program_method_options(), [19](#)

combine.WPR2, [4](#)

distCompare, [5](#)
doParallel::registerDoParallel(), [3](#), [14](#),
[15](#)

ECOSolveR::ecos.control(), [3](#)

foreach::foreach(), [3](#), [8](#), [14](#), [15](#)

geom_line, [11](#)
geom_point, [11](#)
ggplot2::ggplot(), [11](#), [12](#)

HC, [6](#)

L0_method_options, [8](#)
L1_method_options, [9](#)
L1_method_options(), [3](#), [19](#)
L1_penalty_options, [10](#)
L1_penalty_options(), [9](#)

oem, [7](#)

plot, WPR2-method, [10](#)

ridgePlot, [12](#)
Rmosek::mosek(), [3](#)

simulated_annealing_method_options, [13](#)
simulated_annealing_method_options(),
[19](#)

stepwise_method_options, [15](#)
stepwise_method_options(), [19](#)

transport_options, [16](#)
transport_options(), [3](#), [5](#), [8](#), [14](#), [15](#), [17](#), [23](#)

wasserstein, [17](#), [22](#)

wasserstein(), [5](#)
WpProj, [18](#)
WpProj(), [3](#), [10](#)
WPR2, [21](#)
WPR2(), [4](#)
WPR2, ANY, distcompare-method (WPR2), [21](#)
WPR2, ANY, list-method (WPR2), [21](#)
WPR2, ANY, matrix-method (WPR2), [21](#)
WPR2, ANY, WpProj-method (WPR2), [21](#)
WPVI, [23](#)